Volume 187 1990

Table of contents

No. 1 1–262 issued on January 12, 1990
No. 2 263–466 issued on January 26, 1990
No. 3 467–758 issued on February 14, 1990

Acknowledgements to referees 1–6

Enzyme nomenclature. Recommendations 1984 – Supplement 3: corrections and additions
Nomenclature Committee of the International Union of Biochemistry (NC-IUB)
E. C. Webb 263–281

Reviews

Thermodynamics and the structure of biological macromolecules – *Rozhinkes mit mandeln*
H. Eisenberg 7– 22

Transforming growth factors and the regulation of cell proliferation
R. M. Lyons and H. L. Moses 467–473

Lecture

A structural basis of light energy and electron transfer in biology
R. Huber 283–305

Nucleic acids, protein synthesis and molecular genetics

cDNA cloning of cytochrome *P*-450 related to *P*-450$_{b\text{-}2}$ from the cDNA library of human placenta – Gene structure and expression
N. Yokotani, K. Sogawa, S. Matsubara, O. Gotoh, E. Kusunose, M. Kusunose and Y. Fujii-Kuriyama 23– 29

Soluble hydrogenase of *Anabaena cylindrica* – Cloning and sequencing of a potential gene encoding the tritium exchange subunit
G. D. Ewart, K. C. Reed and G. D. Smith 215–223

Rapid purification of homodimer and heterodimer HIV-1 reverse transcriptase by metal chelate affinity chromatography
S. F. J. Le Grice and F. Grüninger-Leitch 307–314

Characterisation of the *Klebsiella pneumoniae* nitrogen-fixation regulatory proteins NIFA and NIFL *in vitro*
S. Austin, N. Henderson and R. Dixon 353–360

Selection of the 5′-proximal translation initiation site is influenced by mRNA and eIF-2 concentrations
M. C. Dasso, S. C. Milburn, J. W. B. Hershey and R. J. Jackson 361–371

Autoregulation of PurR repressor synthesis and involvement of *purR* in the regulation of *purB, purC, purL, purMN* and *guaBA* expression in *Escherichia coli*
L. M. Meng, M. Kilstrup and P. Nygaard 373–379

Multiple coordinate controls contribute to a balanced expression of ribulose-1,5-bisphosphate carboxylase/oxygenase subunits in rye leaves
U. Winter and J. Feierabend 445–453

Reduced transcription of mitochondrial DNA in the senescent rat – Tissue dependence and effect of acetyl-L-carnitine
M. N. Gadaleta, V. Petruzzella, M. Renis, F. Fracasso and P. Cantatore 501–506

A factor known to bind to the endogenous Ig heavy chain enhancer only in lymphocytes is a ubiquitously active transcription factor
N. Elmaleh, P. Matthias and W. Schaffner 507–513

The ribosomal domain of the bacterial release factors – The carboxyl-terminal domain of the dimer of *Escherichia coli* ribosomal protein L7/L12 located in the body of the ribosome is important for release factor interaction
W. P. Tate, B. Kastner, C. D. Edgar, K. K. McCaughan, K. M. Timms, C. N. A. Trotman, M. Stoffler-Meilicke, G. Stoffler, B. Nag and R. R. Traut 543–548

Purification and characterization of *Escherichia coli* RNase I – Comparisons with RNase M
J. Meador III, B. Cannon, V. J. Cannistraro and D. Kennell 549–553

Induction of the 4-aminobutyrate and urea-catabolic pathways in *Saccharomyces cerevisiae* – Specific and common transcriptional regulators
S. Vissers, B. Andre, F. Muyldermans and M. Grenson 611–616

Quantitative estimation of minor mRNAs by cDNA-polymerase chain reaction – Application to dystrophin mRNA in cultured myogenic and brain cells
J. Chelly, D. Montarras, C. Pinset, Y. Berwald-Netter, J. C. Kaplan and A. Kahn 691–698

Structure of preproattacin and its processing in insect cells infected with a recombinant baculovirus
H. Gunne, M. Hellers and H. Steiner 699–703

Protein chemistry and structure

Molecular forms of acetylcholinesterase in two sublines of human erythroleukemia K562 cells – Sensitivity or resistance to phosphatidylinositol-specific phospholipase C and biosynthesis
J. P. Toutant, M. K. Richards, J. A. Krall and T. L. Rosenberry 31– 38

Arginyl groups involved in the binding of *Anabaena* ferredoxin – NADP reductase to $NADP^+$ and to ferredoxin
J. Sancho, M. Medina and C. Gómez-Moreno 39– 48

Identification and characterization of the major chicken bone phosphoprotein — Analysis of its synthesis by cultured embryonic chick osteoblasts
Y. Gotoh, L. C. Gerstenfeld and M. J. Glimcher 49–58

Mn(II)-EPR measurements of cation binding by aequorin
M. D. Kemple, M. L. Lovejoy, B. D. Ray, F. G. Prendergast and B. D. Nageswara Rao 131–135

Localization and characterization of three different β-adrenergic receptors expressed in *Escherichia coli*
M.-P. Chapot, Y. Eshdat, S. Marullo, J.-G. Guillet, A. Charbit, A. D. Strosberg and C. Delavier-Klutchko 137–144

Core histone-DNA interactions in sea urchin sperm chromatin — The N-terminal tail of H2B interacts with linker DNA
C. S. Hill and J. O. Thomas 145–153

Resonance energy transfer between points in a reconstituted skeletal muscle thin filament — A conformational change of the thin filament in response to a change in Ca^{2+} concentration
M. Miki 155–162

Amino acid sequences around the pyridoxal-5'-phosphate-binding sites of phenol hydroxylase
T. Sejlitz, C. Wernstedt, Å. Engström and H. Y. Neujahr 225–228

Isolation and structure elucidation of a novel 5-kDa peptide from neurohaemal lobes of the *corpora cardiaca* of *Locusta migratoria* (Insecta, Orthoptera)
H. Hietter, A. Van Dorsselaer, B. Green, L. Denoroy, J. Hoffmann and B. Luu 241–247

cDNAs from neurosecretory cells of brains of *Locusta migratoria* (Insecta, Orthoptera) encoding a novel member of the superfamily of insulins
M. Lagueux, L. Lwoff, M. Meister, F. Goltzené and J. A. Hoffmann 249–254

Identification of two essential histidine residues of ribonuclease T2 from *Aspergillus oryzae*
Y. Kawata, F. Sakiyama, F. Hayashi and Y. Kyogoku 255–262

Occurrence of *S*-(1,2-dicarboxyethyl)-cysteine at position 77 in mutant human lysozyme secreted by *Saccharomyces cerevisiae*
M. Kikuchi, Y. Taniyama, S. Kanaya, T. Takao and Y. Shimonishi 315–320

Isolation and characterization of abaecin, a major antibacterial response peptide in the honeybee (*Apis mellifera*)
P. Casteels, C. Ampe, L. Riviere, J. Van Damme, C. Elicone, M. Fleming, F. Jacobs and P. Tempst 381–386

Structural studies of the lysozyme coded by the pneumococcal phage Cp-1 — Conformational changes induced by choline
J. M. Sanz and J. L. Garcia 409–416

Effect of the N-terminal hydrophobic sequence of hepatitis B virus surface antigen on the folding and assembly of hybrid β-galactosidase in *Escherichia coli*
S. C. Lee, Y. C. Choi and M.-H. Yu 417–424

Antigenic sites on cytochrome c_2 from *Rhodospirillum rubrum*
B. Saad and H. R. Bosshard 425–430

Biophysical studies of engineered mutant proteins based on calbindin D_{9k} modified in the pseudo EF-hand
C. Johansson, P. Brodin, T. Grundström, E. Thulin, S. Forsén and T. Drakenberg 455–460

Sequential ^{1}H-NMR assignments and secondary structure of the sea anemone polypeptide anthopleurin-A
B. C. Mabbutt and R. S. Norton 555–564

Redox-linked conformational changes in proteins detected by a combination of infrared spectroscopy and protein electrochemistry — Evaluation of the technique with cytochrome *c*
D. Moss, E. Nabedryk, J. Breton and W. Mäntele 565–572

Conformational changes of tarantula (*Eurypelma californicum*) haemocyanin detected with a fluorescent probe, 7-chloro-4-nitrobenzo-2-oxa-1,3-diazole
T. Leidescher and H. Decker 617–625

The proline-activating activity of the multienzyme gramicidin S synthetase 2 can be recovered on a 115-kDa tryptic fragment
H. J. Skarpeid, T.-L. Zimmer, B. Shen and H. von Döhren 627–633

Characterization of the nickel-iron periplasmic hydrogenase from *Desulfovibrio fructosovorans*
C. E. Hatchikian, A. S. Traore, V. M. Fernandez and R. Cammack 635–643

NMR identification of a partial helical conformation for bombesin in solution
J. A. Carver and J. G. Collins 645–650

Expression of completely γ-carboxylated and β-hydroxylated recombinant human vitamin-K-dependent protein S with full biological activity
J. Malm, E. Cohen, W. Dackowski, B. Dahlbäck and R. Wydro 737–743

Enzymology

Description of enzyme kinetics in reversed micelles — 1. Theory
R. M. D. Verhaert, R. Hilhorst, M. Vermuë, T. J. Schaafsma and C. Veeger 59–72

Enzyme kinetics in reversed micelles — 2. Behaviour of enoate reductase
R. M. D. Verhaert, B. Tyrakowska, R. Hilhorst, T. J. Schaafsma and C. Veeger 73–79

Enzyme kinetics in reversed micelles — 3. Behaviour of 20β-hydroxysteroid dehydrogenase
B. Tyrakowska, R. M. D. Verhaert, R. Hilhorst and C. Veeger 81–88

Ribofuranosyl-benzimidazole derivatives as inhibitors of casein kinase-2 and casein kinase-1
F. Meggio, D. Shugar and L. A. Pinna 89–94

Characterization of the S'-subsite specificity of bovine pancreatic α-chymotrypsin via acyl transfer to added nucleophiles
V. Schellenberger, U. Schellenberger, Y. V. Mitin and H.-D. Jakubke 163–167

The 2-oxoglutarate dehydrogenase complex from *Azotobacter vinelandii* – 1. Molecular cloning and sequence analysis of the gene encoding the 2-oxoglutarate dehydrogenase component
E. Schulze, A. H. Westphal, R. Hanemaaijer and A. de Kok 229–234

The 2-oxoglutarate dehydrogenase complex from *Azotobacter vinelandii* – 2. Molecular cloning and sequence analysis of the gene encoding the succinyltransferase component
A. H. Westphal and A. de Kok 235–239

Thermostable β-galactosidase from the archaebacterium *Sulfolobus solfataricus* – Purification and properties
F. M. Pisani, R. Rella, C. A. Raia, C. Rozzo, R. Nucci, A. Gambacorta, M. De Rosa and M. Rossi 321–328

Aspartate aminotransferase with the pyridoxal-5'-phosphate-binding lysine residue replaced by histidine retains partial catalytic competence
M. Ziak, R. Jaussi, H. Gehring and P. Christen 329–333

Reconstitution of the partially purified membrane component of the superoxide-generating NADPH oxidase of pig neutrophils with phospholipid
M. Nozaki, K. Takeshige, H. Sumimoto and S. Minakami 335–340

Purification and characterization of a novel β-agarase from *Vibrio* sp. AP-2
T. Aoki, T. Araki and M. Kitamikado 461–465

Enzyme-enzyme interactions and control analysis – 1. The case of non-additivity: monomer-oligomer associations
H. Kacser, H. M. Sauro and L. Acerenza 481–491

Enzyme-enzyme interactions and control analysis – 2. The case of non-independence: heterologous associations
H. M. Sauro and H. Kacser 493–500

Lignin peroxidase from *Phanerochaete chrysosporium* – Molecular and kinetic characterization of isozymes
T. Glumoff, P. J. Harvey, S. Molinari, M. Goble, G. Frank, J. M. Palmer, J. D. G. Smit and M. S. A. Leisola 515–520

Purification and properties of an endo-1,4-xylanase excreted by a hydrolytic thermophilic anaerobe, *Clostridium thermolacticum* – A proposal for its action mechanism on larchwood 4-*O*-methylglucuronoxylan
P. Debeire, B. Priem, G. Strecker and M. Vignon 573–580

^{1}H-NMR and mass spectrometric studies of tetrahydropterins – Evidence for the structure of 6-pyruvoyl tetrahydropterin, an intermediate in the biosynthesis of tetrahydrobiopterin
S. Ghisla, T. Kuster, P. Steinerstauch, W. Leimbacher, W. J. Richter, F. Raschdorf, R. Dahinden and H.-C. Curtius 651–656

Expression of guinea-pig liver transglutaminase cDNA in *Escherichia coli* – Amino-terminal N^{α}-acetyl group is not essential for catalytic function of transglutaminase
K. Ikura, Y. Tsuchiya, R. Sasaki and H. Chiba 705–711

Carbohydrates, lipids and other natural products

Oligosaccharides at individual glycosylation sites in glycoprotein 71 of Friend murine leukemia virus
R. Geyer, J. Dabrowski, U. Dabrowski, D. Linder, M. Schlüter, H.-H. Schott and S. Stirm 95–110

Calcium-ionophore-induced formation of platelet-activating factor and leukotrienes by horse eosinophils: a comparative study
R. Asmis and A. Jörg 475–480

Characterisation of the asparagine-linked oligosaccharides from *Trypanosoma brucei* type-I variant surface glycoproteins
S. E. Zamze, E. W. Wooten, D. A. Ashford, M. A. J. Ferguson, R. A. Dwek and T. W. Rademacher 657–663

Glutathione-protein mixed disulfide decreases the affinity of rat liver fatty-acid-binding protein for unsaturated fatty acid
M. Hitomi, S. Odani and T. Ono 713–719

Physical and inorganic biochemistry

The blue oxidases, ascorbate oxidase, laccase and ceruloplasmin – Modelling and structural relationships
A. Messerschmidt and R. Huber 341–352

Metal-ion-governed molecular recognition: extent of intramolecular stack formation in mixed-ligand–copper(II) complexes containing a heteroaromatic N base and an adenosine monophosphate (2'AMP, 3'AMP, or 5'AMP) – A structuring effect of the metal-ion bridge
S. S. Massoud, R. Tribolet and H. Sigel 387–393

A two-dimensional ^{1}H NMR study on *Megasphaera elsdenii* flavodoxin in the reduced state – Sequential assignments
C. P. M. van Mierlo, J. Vervoort, F. Müller and A. Bacher 521–541

Membranes and bioenergetics

Interaction *in situ* of the cytoskeletal protein vinculin with bilayers studied by introducing a photoactivatable fatty acid into living chicken embryo fibroblasts
V. Niggli, L. Sommer, J. Brunner and M. M. Burger 111–117

De novo fatty acid synthesis mediated by acyl-carrier protein in *Neurospora crassa* mitochondria
S. Mikolajczyk and S. Brody 431–437

δ-Haemolysin from *Staphylococcus aureus* and model membranes – A solid-state ^{2}H-NMR and ^{31}P-NMR study
E. J. Dufourc, J. Dufourcq, T. H. Birkbeck and J. H. Freer 581–587

Membrane ionic currents in *Rhodobacter capsulatus* – Evidence for electrophoretic transport of K^+, Rb^+ and NH_4^+
P. Golby, M. Carver and J. B. Jackson 589–597

Development of the uncoupling protein in the rat brown-adipose tissue during the perinatal period — Its relationship with the mitochondrial GDP-binding and GDP-sensitive ion permeabilities and respiration
A. Porras, M. Peñas, M. Fernández and M. Benito 671–675

Epidermal growth factor and cyclic AMP stimulate Na^+/H^+ exchange in isolated rat hepatocytes
S. K. Moule and J. D. McGivan 677–682

Regulation by butyrate of the cAMP response to cholera toxin and forskolin in pituitary GH1 cells
A. Aranda, M. J. Toro, F. Usera and A. Pascual 683–689

Chemiosmotic energy conversion and the membrane ATPase of *Methanolobus tindarius*
E. Scheel and G. Schäfer 727–735

Subunit composition of vacuolar membrane H^+-ATPase from mung bean
C. Matsuura-Endo, M. Maeshima and S. Yoshida 745–751

Metabolism and metabolic regulation

Inhibition of leukotriene ω-oxidation by isonicotinic acid hydrazide (isoniazid)
S. Parthé and W. Hagmann 119–124

Glucagon activates mitochondrial 3-hydroxy-3-methylglutaryl-CoA synthase *in vivo* by decreasing the extent of succinylation of the enzyme
P. A. Quant, P. K. Tubbs and M. D. Brand 169–174

Primary stimuli of icosanoid release inhibit arachidonoyl-CoA synthetase and lysophospholipid acyltransferase — Mechanism of action of hydrogen peroxide and methyl mercury in platelets
W. Hornberger and H. Patscheke 175–181

Location and function of three sites phosphorylated on rat acetyl-CoA carboxylase by the AMP-activated protein kinase
S. P. Davies, A. T. R. Sim and D. G. Hardie 183–190

Intraorganelle localization and substrate specificities of the mitochondrial acyl-CoA:*sn*-glycerol-3-phosphate *O*-acyltransferase and acyl-CoA:1-acyl-*sn*-glycerol-3-phosphate *O*-acyltransferase from potato tubers and pea leaves
M. Frentzen, M. Neuburger, J. Joyard and R. Douce 395–402

Metabolism of adenosine through adenosine kinase inhibits gluconeogenesis in isolated rat hepatocytes
A. Lavoinne, S. Claeyssens and A. Chedeville 403–407

Signal transduction and molecular neurobiology

Affinity labelling of endothelin receptor and characterization of solubilized endothelin–endothelin-receptor complex
H. Miyazaki, M. Kondoh, H. Watanabe, Y. Masuda, K. Murakami, M. Takahashi, M. Yanagisawa, S. Kimura, K. Goto and T. Masaki 125–129

Diacylglycerols modulate phosphorylation of the insulin receptor from human mononuclear cells
G. Grunberger and J. Levy 191–198

Roles of the AMP-activated and cyclic-AMP-dependent protein kinases in the adrenaline-induced inactivation of acetyl-CoA carboxylase in rat adipocytes
T. A. J. Haystead, F. Moore, P. Cohen and D. G. Hardie 199–205

Pertussis toxin and H-7 distinguish mechanisms involved in eicosanoid release from lipopolysaccharide-primed macrophages — Eicosanoid release from lipopolysaccharide-primed macrophages
A. Matsunaga, B. C. Miller and G. L. Cottam 599–603

Functional and immunological evidence for stable association of solubilized vasoactive-intestinal-peptide receptor and stimulatory guanine-nucleotide-binding protein from rat liver
A. Couvineau, C. Rouyer-Fessard, T. Voisin and M. Laburthe 605–609

Acute stimulation by lutropin of mitochondrial protein synthesis in small luteal cells
H. Mittre, P. Aunai, A. Benhaim and P. Leymarie 721–726

Molecular cell biology

Preparation of biologically active platelet-derived growth factor isoforms AA and AB — Preferential formation of AB heterodimers
J. Hoppe, H. A. Weich, W. Eichner and D. Tatje 207–214

Developmental biochemistry and immunology

Characterisation of a monoclonal antibody against native human type I collagen
J. A. Werkmeister, J. A. M. Ramshaw and G. Ellender 439–443

Indexed in *Current Contents*